

## **Chemistry 500: Chemistry in Modern Living**

### **Topic 1: The Air We Breathe**

#### **States of Matter, Reactions, and Risk**

Chemistry in Context, 2<sup>nd</sup> Edition: Chapter 1, Pages 1-34

Chemistry in Context, 3<sup>rd</sup> Edition: Chapter 1, Pages 1-44

Outline Notes by Dr. Allen D. Hunter, YSU Department of Chemistry, ©2000.

## Outline

1A	WHAT IS AIR? .....	3
1B	THE MAJOR COMPONENTS OF AIR.....	6
1C	THE 1% LEFT OVER IN "DRY" AIR .....	9
1D	MEASURING SMALL QUANTITIES .....	11
1E	SCIENTIFIC NOTATION.....	12
1F	THE MINOR COMPONENTS OF AIR (MAJOR POLLUTANTS).....	18
1G	RISK ASSESSMENT.....	21
1H	BREATH.....	24
1I	STATES OF MATTER.....	25
1J	AIR PRESSURE AND THE ATMOSPHERE.....	26
1K	ELEMENTS, COMPOUNDS, AND MIXTURES .....	28
1L	ATOMS, MOLECULES, AND FORMULAE.....	29
1M	WHAT IS A MOLE? .....	30
1N	REACTIONS AND EQUATIONS .....	32
1O	FIRE AND FUEL .....	34
1P	AIR QUALITY.....	35
1Q	DEADLY AIR POLLUTION, DEADLY FOG.....	37
1R	PHOTOCHEMICAL SMOG.....	38

1A What is Air?

- Views about Air in history
  
- Ask Students: What are some evidence that air has substance?
  - Group Activity
  
  - 
  
  - 
  
  -

- Ask Students to Estimate Breathe Volume
  - Group Activity
  - Estimate the daily volume of air you breathe
    - An example of estimation

- What is “accuracy” and “precision”
  - Accuracy tells you how close your answer is to the “true value”
  - Precision tell you how much “variability” is in your answer
  - Upper and lower bounds
  - Outliers
    - Causes include real variability, measurement error and calculation error, and random error
  
- Role of Experiment
  - Individual educated guess
  - Group educated guess
  - Rough Experiment
  - Better Experiment
  - Precise Experiment

## 1B The Major Components of Air

- Graphics from Text: Figure 1.1, the Composition of Air
  
- Nitrogen
  - The “inert” component of air
  - N<sub>2</sub> very seldom involved in chemical reactions
  - Few organisms can react N<sub>2</sub>
  - Very difficult for earliest chemists to find
  - ≈ 78% of air
  - Used industrially to “blanket” air sensitive processes such as steel making
  - Liquefies at -196 °C, 77 K

- Oxygen
  - The “reactive” component of air
  - O<sub>2</sub> involved in MANY chemical reactions, highly reactive
    - Oxygen “oxidizes” other chemicals (steals their electrons)
  - All organisms react O<sub>2</sub>
    - Some require it, aerobic organisms
    - Some killed by it, anaerobic organisms
    - Always toxic unless the organism has the “tools” to detoxify it
  - ≈ 21% of air
  - Used industrially to “oxidize” materials in welding, chemical synthesis, etc.
  - Liquefies at - 183 °C, 90 K

- Ask Students: When would these percentages vary?
  - Group Activity
    - 
    - 
    -
  
- Ask Students: What happens when the O<sub>2</sub> content increases?
  - Group Activity
    - 
    - 
    -
  
- Ask Students: What happens when the O<sub>2</sub> content decreases?
  - Group Activity
    - 
    -



1C The 1% Left Over in "Dry" Air

- Argon
  - Another "inert" component of air
  - Almost never involved in chemical reactions
  - No organisms can react Ar
  - $\approx 0.9\%$  of air
  
- Carbon Dioxide
  - Another "reactive" component of air
  - $\text{CO}_2$  involved in many chemical reactions
  - Almost all organisms can react  $\text{CO}_2$
  - $\approx 0.035\%$  of air we breathe in
  - $\approx 4\%$  of air we breathe out
  - Toxic in high concentrations, used in fire extinguishers
  - "dry ice" sublimates at  $-78\text{ }^\circ\text{C}$

➤ Water

- Another “reactive” component of air
- H<sub>2</sub>O involved in MANY chemical reactions
- All organisms can react H<sub>2</sub>O
  - In fact: they exist in a sea of H<sub>2</sub>O and it is involved in all biochemical processes either directly or indirectly
- ≈ 0-4 % of air we breathe in (depends on humidity)
- ≈4% of air we breathe out
- Melts at 0 °C (273 K), 32 °F
- Boils at 100 °C (373K), 212 °F

1D Measuring Small Quantities

- Percentage, %
  - 1 % = 1/100
  - Mellon
  
- Parts Per Million, PPM
  - 1 PPM = 1/1,000,000
  - Grape
  
- Parts Per Billion, PPB
  - 1 PPB = 1/1,000,000,000
  - Sugar grain
  
- Parts Per Trillion, PPT
  - 1 PPT = 1/1,000,000,000,000
  - Speck of dust

## 1E Scientific Notation

- Used to express very large numbers or very small numbers in a compact form
  - This saves space in writing and time in talking
  - $602,300,000,000,000,000,000 = 6.023 \times 10^{23}$  (mole)
  - $0.000,000,000,1 = 1 \times 10^{-10}$  (atomic distances in meters)
  
- How to Express Scientific Notation
  - First number  $\times 10^{\text{second number}}$
  - The first number is used to “fine tune” the value
  - The second number is used to give the “size” of the value
    - “Order of magnitude”
    - Tells you how far to shift the decimal point and in what direction

## ➤ Examples

➤  $3 \times 10^4 = 30,000$

➤  $5 \times 10^7 = 50,000,000$

➤  $3 \times 10^{-4} = 0.000,3$

➤  $5 \times 10^{-7} = 0.000,000,5$

➤  $3.02 \times 10^4 = 30,200$

➤  $5.26 \times 10^7 = 52,600,000$

➤  $3.02 \times 10^{-4} = 0.000,302$

➤  $5.26 \times 10^{-7} = 0.000,000,526$

➤ Ask Students: Express each of the following numbers as conventional numbers or scientific notation, as required.

➤ Group Activity

➤  $2.68 \times 10^3$

➤ 2,680,000

➤  $2.68 \times 10^{-3}$

➤ 0.000,000,268

- This is a convenient way to express Significant Figures
  - A measure of the Precision of a measurement (i.e., the number of reliable figures)
  - The number of significant figures of the answer can't be higher than the number of significant figures of any of the data put into the problem
  - The first number in the scientific notation tells us the number of significant figures
    - $3 \times 10^4 = 30,000$  has 1 significant figure
    - $3 \times 10^{-4} = 0.000,3$  has 1 significant figure
    - $3.02 \times 10^4 = 30,200$  has 3 significant figure
    - $3.0256 \times 10^{-4} = 0.000,302,56$  has 5 significant figure

➤ Ask Students: Give the number of significant figures.

➤ Group Activity

➤  $2.68 \times 10^3$

➤ 2,680,000

➤  $2.68 \times 10^{-3}$

➤ 0.000,000,268



- Ask Students to calculate the mileage (mpg) of a car that travels 173 miles on 12 gallons of gas
- Group Activity
- Ask students to discuss what the number of significant figures should be
- $173/12 = 14.416666...???$
  
- $173/11 = 15.727273...$
- $173/13 = 13.307692...$

## 1F The Minor Components of Air (Major Pollutants)

- Four Main Gasses fall into this category
  - Carbon Monoxide, CO
    - 4-10 ppm
    - Poison via its interaction with hemoglobin
  - Ozone, O<sub>3</sub>
    - up to 0.2 ppm (200 ppb)
    - very irritating to mucous membranes

- Sulfur Oxides,  $\text{SO}_x$ 
  - $\text{SO}_x = \text{SO}_2$  and  $\text{SO}_3$
  - Mixture up to 0.3 ppm (30 ppb)
  - from combustion of fossil fuels rich in sulfur
  
- Nitrogen Oxides,  $\text{NO}_x$ 
  - $\text{NO}_x = \text{NO}$  and  $\text{NO}_2$  and others, Mixture
  - up to 0.05 ppm (50 ppb)
  - from high temperature combustion reactions

- Ask Students: Which cities have pollution about the federally mandated pollution limits
  
- Group Activity
  
- Graphics from Text: Table 1.2, Pollution Levels for Major US Cities
  - 
  - 
  -
  
- Ask Students: What factors contribute to some cities having particularly high levels of pollution or particularly low levels of pollution?
  
- Group Activity
  - 
  - 
  -

1G Risk Assessment

- The Key Variables/Questions that must be considered when evaluating the risk of an activity, item, etc.
- Exposure
  - Was the individual exposed to an Average Dose or an Extreme Dose
  - Was it a Chronic Exposure or was it an Acute Exposure
  - The relative importance of these variables is due to the individual mechanism of chemical and biological interactions
  - Dose - Response Curves: Toxicity at micro doses vs. harmless below some critical dose

- Toxicity and its Evaluation
  - Efficacy and Ethics both come into play
  - Each method has strengths and weaknesses
    - Studies on Individual People
    - Human Population Studies
    - Natural Controlled Experiments
    - Animal Studies
    - Microorganisms
    - Tissues
    - Computer Models

- Risk  $\approx$  Exposure x Toxicity
  - Multiple combinations of variables
    - Average Exposure x Chronic Exposure
    - Average Exposure x Acute Exposure
    - Extreme Exposure x Chronic Exposure
    - Extreme Exposure x Acute Exposure
  
- Value Judgements
  - The numbers for Risk can be calculated with reasonable precision
  - Differences between experts due to differences in input data and differences in the model used
  - The meaning of the numbers (i.e., is the risk acceptable or is the risk too bad) can only be based on individual values and community values

## 1H Breath

- Inhaled Air and Exhaled Air
  - Graphics from Text: Table 1.1, Inhaled and Exhaled Air
  
- What happens in metabolism? (Fire!)
  - O<sub>2</sub> consumed
  - CO<sub>2</sub> and H<sub>2</sub>O exhaled

Gas	Inhaled %	Exhaled %
N <sub>2</sub>	78%	75%
Ar	0.9%	0.9%
O <sub>2</sub>	21%	16%
CO <sub>2</sub>	0.03%	4%
H <sub>2</sub> O	0-4%	4%

- Ask Students: Why does each gas go up or down?
  - Group Activity



## 1I States of Matter

- States of Matter are Defined by Physical Properties
  - Physical Properties
    - Dimensional Stability
    - Flow Up vs. Flow Down
    - Density
  - States of Matter
    - Solid
    - Liquid
    - Gas
- Reactions of Matter are Defined Primarily by Chemical Properties
  - No fundamental change in reactivity when the state changes
  - The rates of reactions may change

## 1J Air Pressure and the Atmosphere

- Graphics from Text: Figure 1.2
  
- Regions of the Atmosphere
  - Mesosphere
    - Above about 30 miles / 50 Km
  - Stratosphere
    - Above Passenger Jets
    - Contains “Ozone Layer”
  - Troposphere
    - Where we live, below about 10 miles / 17 Km
    - Contains the “Biosphere” and the “Geosphere”

- Atmospheric Pressure
  - 14.7 psi (pounds per square inch)
  - 1 atmosphere
  
- Graphics from Text: Figure 1.2 (and 1.3 in 3<sup>rd</sup> Edition)
  
- Pressure Gradient
  - Caused by a Balance of Forces
    - Molecular Motion causes molecules to want to fly free
    - Gravity causes the molecules to be attracted to the surface

1K Elements, Compounds, and Mixtures

- Element
  - Purity and Indivisibility
  
- Compound
  - Purity and Indivisibility
  
- Mixture
  - Purity and Indivisibility
  
- Ask Students: Identify five each of Elements, Compounds, and Mixtures found in your home
  - Group Activity

## 1L Atoms, Molecules, and Formulae

- The Interaction of Theory and Experiment
  
- How do we know:
  - The structure and size of Atoms
    - Diffraction
    - Elegant “wet experiments”
      - E.g., surface films
  
  - The formulae
    - Definite ratio of elements
    - Elemental Analysis
  
  - The structure and size of molecules
    - Diffraction of X-rays
    - Sporting Methods based on electromagnetic radiation

1M What is a Mole?

- A small furry creature that looks like a mouse without a tail
  
- A number (like a dozen)
  - 602,300,000,000,000,000,000,000
  - $6.023 \times 10^{23}$
  - Avogadro's Number
  - Relates the number of atoms to macroscopic scales (i.e., atomic mass units, AMU, to grams)
  
- Examples of the size of a mole
  - Air you breathe
    - One liter of air contains  $2.69 \times 10^{22}$  molecules
    - One breath of air contains  $\approx 10^{22}$  molecules
    - Considering the total volume of air in the atmosphere
    - Each breath contains about  $6 \times 10^8$  molecules previously breathed by any historical figure

➤ Marshmallows

- One Avogadro of marshmallows would cover the US 650 miles thick

➤ Money

- One Avogadro of dollars given to the world would let each person spend one million dollars per hour till they die without using all of the money up

1N Reactions and Equations

- An Equation is a Chemical Sentence
- It tells you the relative proportions of the different reactants and products

Reactants → Products







- One of the main skills in Chemistry is to be able to balance a chemical reaction
- The key steps in this are that **YOU ARE NOT ALLOWED TO CHANGE THE FORMULAE OF MOLECULES** and that **YOU CHECK YOUR WORK**







➤ Ask Students: Balance each of the following reactions.

➤ Group Activity



10 Fire and Fuel

- Hydrocarbons
  - Molecules composed only of Carbon and Hydrogen
  
- Natural Gas
  - Methane, CH<sub>4</sub>, major component
  - Hydrogen Sulfide, H<sub>2</sub>S, added because of its smell
    - Toxic at higher concentrations
  - C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub> alkanes now removed for plastics manufacture



- What happens if one uses an excess of O<sub>2</sub>
  - What happens if one uses a shortage of O<sub>2</sub>


## 1P Air Quality

- Graphics from Text: Figure 1.6 and Table 1.7 in 2<sup>nd</sup> Edition and Figure 1.7 and Table 1.7 in 3<sup>rd</sup> Edition: Changes in the average air pollution in the US since 1970
- Ask Students: Answer the following questions.
  - Group Activity
  - Why hasn't NO<sub>x</sub> gone down?
  - Why has SO<sub>x</sub> dropped so much?




1Q Deadly Air Pollution, Deadly Fog

- 1952 London England, 4,000 Deaths
- 1948 Donora PA, 20 Deaths
- Why was pollution so acutely toxic in these times and places?
  - Aerosols (liquid whose drops are so small they float)  
breathed into lungs
  - Metals in ash particulates catalyze the conversion of SO<sub>2</sub> to  
SO<sub>3</sub>



## 1R Photochemical Smog

- Heat in car engines, etc., leads to NO<sub>x</sub> formation
- NO<sub>x</sub> reacts with VOC to produce O<sub>3</sub>
- Ozone is one of the most irritating components of smog
- Can be fought by lowering NO<sub>x</sub> and/or VOC



Problems: xxx

## Index of Vocabulary and Major Topics

**6**6.023 x 10<sup>23</sup> ..... 12, 31**A**

Accuracy ..... 5  
 Acute Exposure ..... 21  
 aerobic organisms ..... 7  
 Aerosols ..... 37  
 Air ..... 3  
 Air Pressure and the Atmosphere ..... 26  
 Air Quality ..... 35  
 air sensitive ..... 6  
 alkanes ..... 34  
 AMU ..... 30  
 anaerobic organisms ..... 7  
 Animal Studies ..... 22  
 Ar ..... 9  
 Argon ..... 9  
 ash ..... 37  
 Ask Students ..... 3, 4, 8, 14, 16, 20, 24, 28, 33, 35  
 atmosphere ..... 27  
 Atmospheric Pressure ..... 27  
 atomic distances ..... 12  
 atomic mass units ..... 30  
 Atoms ..... 29  
 Atoms, Molecules, and Formulae ..... 29  
 Average Dose ..... 21  
 Avogadro ..... 31  
 Avogadro's Number ..... 30

**B**

balance a chemical reaction ..... 32  
 Balance of Forces ..... 27  
 Better Experiment ..... 5  
 biochemical processes ..... 10  
 Biosphere ..... 26  
 blanket ..... 6  
 Boils ..... 10  
 Breath ..... 24

**C**

C<sub>8</sub>H<sub>18</sub> ..... 34  
 calculation error ..... 5  
 Carbon ..... 34  
 Carbon Dioxide ..... 9  
 Carbon Monoxide ..... 18  
 catalyze ..... 37  
 CH<sub>4</sub> ..... 34  
**CHANGE THE FORMULAE OF MOLECULES** ..... 32  
**CHECK YOUR WORK** ..... 32  
 Chemical Properties ..... 25  
 Chemical Sentence ..... 32  
 chemical synthesis ..... 7  
 Chronic Exposure ..... 21  
 CO ..... 18, 36

CO<sub>2</sub> ..... 9, 24  
 combinations of variables ..... 23  
 combustion ..... 19  
 community values ..... 23  
 Compound ..... 28  
 Computer Models ..... 22  
 conventional numbers ..... 14  
 critical dose ..... 21

**D**

daily volume of air ..... 4  
 Deadly Air Pollution, Deadly Fog ..... 37  
 Deaths ..... 37  
 Density ..... 25  
 detoxify ..... 7  
 Diffraction ..... 29  
 Diffraction of X-rays ..... 29  
 Dimensional Stability ..... 25  
 Donora PA ..... 37  
 Dose - Response Curves ..... 21  
 dry ice ..... 9

**E**

educated guess ..... 5  
 Efficacy ..... 22  
 electromagnetic radiation ..... 29  
 electrons ..... 7  
 Element ..... 28  
 Elemental Analysis ..... 29  
 Elements, Compounds, and Mixtures ..... 28  
 Equation ..... 32  
 Estimate ..... 4  
 Ethics ..... 22  
 evaluating the risk ..... 21  
 evidence ..... 3  
 excess of O<sub>2</sub> ..... 34  
 Exhaled Air ..... 24  
 Experiment ..... 5, 29  
 Exposure ..... 21  
 Extreme Dose ..... 21

**F**

federally mandated pollution limits ..... 20  
 Fire ..... 24  
 Fire and Fuel ..... 34  
 fire extinguishers ..... 9  
 formulae ..... 29  
 fossil fuels ..... 19

**G**

Gas ..... 25  
 Geosphere ..... 26  
 Grape ..... 11  
 Graphics from Text ..... 6, 20, 24, 26, 27, 35  
 Gravity ..... 27  
 Group Activity ..... 3, 4, 8, 14, 16, 17, 20, 24, 28, 33, 35

**H**

H <sub>2</sub> O .....	10, 24
H <sub>2</sub> S .....	34
Heat .....	34, 38
hemoglobin .....	18
high levels of pollution .....	20
high temperature combustion .....	19
historical figure .....	30
Human Population Studies .....	22
humidity .....	10
Hydrocarbons .....	34, 38
Hydrogen .....	34
Hydrogen Sulfide .....	34

**I**

individual values .....	23
Indivisibility .....	28
inert .....	6, 9
Inhaled Air .....	24
irritating components of smog .....	38

**L**

Lead .....	36
Liquefies .....	6
Liquid .....	25
London England .....	37
low levels of pollution .....	20

**M**

macroscopic scales .....	30
Marshmallows .....	31
measurement error .....	5
Measuring Small Quantities .....	11
mechanism of chemical and biological interactions .....	21
Mellon .....	11
Melts .....	10
Mesosphere .....	26
metabolism .....	24
Metals .....	37
Methane .....	34
Microorganisms .....	22
mileage .....	17
Mixture .....	28
mole .....	12
Molecular Motion .....	27
molecules .....	29
Money .....	31
mouse .....	30
mpg .....	17
mucous membranes .....	18

**N**

N <sub>2</sub> .....	6
Natural Controlled Experiments .....	22
Natural Gas .....	34
Nitrogen .....	6
Nitrogen Oxides .....	19
NO .....	19
NO <sub>2</sub> .....	19
NO <sub>x</sub> .....	19, 35, 38

**O**

O <sub>2</sub> .....	7, 24
O <sub>2</sub> content decreases .....	8
O <sub>2</sub> content increases .....	8
O <sub>3</sub> .....	18, 38
Octane .....	34
Order of magnitude .....	12
organisms .....	7
Outliers .....	5
Outline .....	2
oxidize .....	7
Oxygen .....	7
Ozone .....	18
Ozone Layer .....	26

**P**

Particulate Matter - 10 μ .....	36
particulates .....	37
Parts Per Billion .....	11
Parts Per Million .....	11
Parts Per Trillion .....	11
Pb .....	36
Percentage .....	11
percentages .....	8
Photochemical Smog .....	38
Physical Properties .....	25
PM-10 .....	36
pounds per square inch .....	27
PPB .....	11
PPM .....	11
PPT .....	11
Precise Experiment .....	5
Precision .....	5, 15
Pressure Gradient .....	27
Problems .....	38
Products .....	32
psi .....	27
Purity .....	28

**R**

random error .....	5
ratio of elements .....	29
Reactants .....	32
Reactions .....	25
Reactions and Equations .....	32
reactive .....	7
Regions of the Atmosphere .....	26
reliable figures .....	15
Risk .....	23
Risk Assessment .....	21
Risk ≈ Exposure x Toxicity .....	23
Rough Experiment .....	5

**S**

scientific notation .....	14
Scientific Notation .....	12
shortage of O <sub>2</sub> .....	34
significant figures .....	15, 16
Significant Figures .....	15
size of a mole .....	30
SO <sub>2</sub> .....	19, 37



SO <sub>3</sub> .....	19, 37
Solid.....	25
SO <sub>x</sub> .....	19, 35
Speck of dust.....	11
Sporting Methods.....	29
States of Matter.....	25
steal making.....	6
Stratosphere.....	26
Studies on Individual People.....	22
sublimes.....	9
Sugar grain .....	11
Sulfur Oxides.....	19
sunlight .....	38

**T**

The 1% Left Over in "Dry" Air.....	9
The Major Components of Air.....	6
The Minor Components of Air (Major Pollutants).....	18
Theory .....	29

Tissues .....	22
toxic .....	7
Toxicity and its Evaluation .....	22
Troposphere .....	26

**V**

Value Judgements .....	23
very large numbers.....	12
very small numbers .....	12
VOC .....	36, 38
Volatile Organic Compounds .....	36

**W**

Water.....	10
welding.....	7
wet experiments .....	29
What is a Mole .....	30
What is Air .....	3